



Track Cyclone | Walk Behind Flail Mower



Overview

A Walk Behind Flail Mower For Professionals

The AHRC663 Walk Behind Flail Mower by Orec, The Cyclone (Track Drive Version), does the brush clearing and mulching for you! This brush-mulching beast can take down tall grass, weeds, brambles, and even small saplings. Add to that the thirty-eight flail blades that chew up and mulch the brush and you have an all-in-one brush mower and mulching machine. The Cyclone is easy to use, too, with a stress-free clutch turning system and easy to use blade height adjustment.

What Will The Cyclone Flail Mower Bring to Your Team?

Toughness – If the blades hit rocks or stumps, the flails pivot and release shock which protects the spindle from damage.

Superior Cutting – Rotary mowers cut only the bottom of the high weeds and often leave them standing. The Cyclone's flail blades rotate in an "up-cut" motion, thereby catching the whole plant at once. This walk behind flail mower also mulches material down while cutting.

Safety – Unlike rotary mowers, which can throw objects in all directions, the Cyclone's steel flap guards help keep dangerous objects inside the deck.

Interested in this product?

[GET A QUOTE](#)

Features

Blade Height Adjustment, Brake Clutch Steering, Handle Height Adjustment, Honda Engine, Multiple Flail Blades Drum, Parking Brake, Sulky Attachment, Track Drive

Specifications

AHRC663, Cyclone Flail Mower, Trac

Type, Honda (gas)

Displacement, 270 cc

Horsepower, 8.4 hp

Fuel Tank Capacity, 1.4 gal.

Cutting Width, 25.6 in.

Cutting height, 2 - 4 in. (variable)

Cutting System, Vertical Flail

OREC original heavy duty gear, 0.6 mph, 1.2 mph, 2.1 mph

0.6 mph (reverse)

Length, 75 in.

Width, 31 in.

Height, 47 in.

Weight, 450 lbs.

How to use

Testimonial