EQUIPTER RB 4000

RB 4000

SIMPLIFYING DEBRIS MANAGEMENT

The Equipter® RB4000 lift provides a unique debris solution. The first of its kind, the RB4000 is a self-propelled dump trailer that increases professionalism by upgrading how you manage debris on the job. Equipter designed the RB4000 lift to improve efficiency and lower labor costs in various industries.

BENEFITS OF THE RB4000 LIFT

The RB4000 lift eliminates many pain points of debris management for contractors and their customers. Homeowners are protective of their investments and prefer contractors who use innovative equipment like the RB4000 that will shield their homes and landscaping from harmful debris. The RB4000 helps contractors get jobs done quickly while reducing property damage.

DRIVABLE

The lightweight, self-propelled RB4000 runs on a gas-powered hydraulic system. Detach it from a tow hitch and drive it to where it's needed on the job. Its wide back tires and tight turning radius help navigate around landscape obstacles without damaging customers' lawns.

TOWABLE

The RB4000 doubles as an advanced utility trailer. Forget backup cameras or frustrating 2-person hookups to get more tools and materials on the job. Just load everything in the bed of the RB4000, drive it to the tow hitch of a standard pickup truck, connect it, and go!

RAISABLE

The dump trailer of the RB4000 can raise up to 12 feet in the air, serving as a supply lift and a debris dump container. With a shorter distance to fall, debris is no longer a threat to your customers' home exteriors and properties.

THE **RB4000**

DUMPABLE

When it's packed with 4,000 lbs of debris, drive the RB4000 lift to where you want to unload, angle the container over the dump truck or trailer, drop the hydraulic tailgate, and dump the debris.

ROLLBACK

With the ability to extend 4 feet back at any height, the RB4000 can shield flowerbeds, shrubs, and small trees during roofing tear-offs.

RB4000 FEATURES

CONTAINER

The rust-proof aluminum container of the RB4000 is lightweight yet durable, able to hold and haul everything from asphalt shingles to clay shingles. This gives your customers peace of mind that heavy roofing debris won't destroy their well-maintained flowerbeds.

WIDE CATCHSPAN

The lid of the RB4000 is made of two swinging doors that open to expand the catch area for the container to a total of 10.5 feet, allowing you to work more efficiently.

DRIVE SYSTEM

A 13-hp Honda engine powers the self-propelled capabilities and rear-wheel drive of the RB4000.

PRECISE TURNING

Navigate around landscape obstacles with precise turning, thanks to the more narrow front tires of the RB4000 lift.

WIDE TIRES

The wide rear tires of the RB4000 are designed to prevent ruts and minimize the equipment's impact on lawns and landscaping.

STABILIZERS

The four independent stabilizers of the RB4000 let you safely operate this innovative equipment on uneven ground, such as slight inclines or small hills.

POWER TAILGATE

Contain the debris during travel across the job site to avoid the risk of homeowner injuries or punctured tires. Dump debris out of the RB4000 into an on-site dump trailer or truck with the hydraulic-powered drop tailgate.

WHEEL LIFT

The front two tires of the RB4000 lift and the drive axle disengages for safe towing, putting most of the weight on the rear axle. The wide back tires are balanced so well, you'll hardly notice you're towing anything at all!

RB4000 FEATURES

RB4000 SPECIFICATIONS

GROSS VEHICLE WEIGHT	7,500 lbs.
TRAILER TARE WEIGHT	4,020 lbs.
TONGUE WEIGHT (empty)	600 lbs.
TRAILER CAPACITY (road towing)	3,480 lbs.
JOB SITE LIFT CAPACITY	4,000 lbs.
CONTAINER SIZE (inside)	4.1 cu. yds.
ROLL BACK EXTENSION	4 ft.
LIFT HEIGHT	12 ft.
EXTENDED CATCH AREA WIDTH	10 ft. 6 in.
OVERALL WIDTH	6 ft. 4 in.
OVERALL LENGTH	13 ft. 6 in.

RB4000 ACCESSORIES

ROOF CHUTE

Channel a wider range of tear-off debris into the RB4000 with an 8-foot roof chute.

GUTTER PROTECTORS

Designed to prevent shingle granules, tar paper, and other debris from getting caught in customers' gutters, Equipter gutter protectors are the perfect addition to any roofing job.

REAR EXTENSION KIT

The self-supporting, adjustable rear extension kit for the RB4000 allows you to better control debris on the job. Perfect for protecting your customers' properties.

TRACK MATS

Although the RB4000 is lightweight, it can still leave impressions in wet or damp lawns. Equipter track mats are made to handle these delicate situations.

OUTRIGGER PADS

Outrigger pads are designed to further disperse the weight of the equipment to better protect the ground under the stabilizers and outriggers.

OUR HISTORY

Aaron Beiler founded Equipter after 15 years of running a successful residential roofing business. While working in the roofing industry, Aaron and his sons were always looking to increase profits and efficiency. They recognized that the key to this was debris removal, and so they began creating innovative equipment to improve debris management.

Since 2004, Equipter has continued to evolve and innovate. We now have a line of products that boost professionalism for business owners in a variety of industries.

OUR MOTIVATION

Innovation drives us. That's been true since day one. Equipter began with a vision for a new way to work, one that would revolutionize debris management.

Quality sustains us. We started as a roofing replacement business, so we understand firsthand that contractors need equipment as tough as their crews. Every Equipter product is engineered and manufactured to withstand daily wear and tear on the job site.

Relationships guide us. Since 2004, our team has worked hard to build long-term relationships based on respect and mutual trust. We enjoy personal relationships with our customers and business partners.

EQUIPTER®
RB 4000

Contact us for details regarding pricing,
rental options, and industry applications.

717.661.3591

RB4000.equipter.com • sales@equipter.com

© Copyright 2019 Equipter, LLC. All rights reserved. No part of this brochure may be reproduced, in any form, without prior, express, written authorization of Equipter, LLC. Covered by patent # US 6,817,677B1